



CSP Baseline Assessment

The CSP should include baseline information related to sanitation and sanitation related services in the city. It is required that all information cited will refer to the source of information in order to assure their quality and authenticity (Source reliability). The quality of the baseline information should be preferably from (a) Official documents, (b) Reports published by research Institutions/Universities/Colleges, (c) Primary surveys (d) Individual Research (publications, etc.) and NGO reports.

The baseline information shall comprise of:

S. No	Description	Details	Data ¹	Remarks
Α	GENERAL INFC	RMATION: Information regarding the location	, physical, dem	ographical and
1	Location and Pl	hysical aspects		
1.a	Location	Name of the City, District, State		
		Nature and Importance of city		
1.b	Physical	Municipal Area in sq. km and Class of Town		
	Aspects	Number and Name of Wards		
		Geographical description - Hilly area, river, Environmental sensitive area		
1.c	Maps	Map depicting administrative boundaries, roads and railways, water bodies, Important landmarks etc. (available / not available)		
		Topo-Sheet (ref: Survey of India, Scale - 1:50000) (available / not available)		
2	Demography ar	d Growth pattern		
2.a	Population	Census data - 2001 and 2011 (present, projected) Slum population (ward-wise) • Numbers • Households • Density Provide ward-wise population Non slum population (ward-wise) • Numbers • Households • Density Provide ward-wise population Floating population • Numbers per day Decadal Population growth rate (in %age)		
2.b	Maps	Composition – Male, Female Map depicting the population density (available / not available)		

¹ Data to be provided wherever possible, if not provide the availability status (available / not available)





•			
3		nation and Development ²	
3.a	Land Use pattern	Land use classification in the city – Area under residential, commercial, Institutional, open areas, slums (available / not available) Institution Information – Numbers and user information • Schools • Hostels	
		Colleges	
		HospitalsGovt Institutions	
		Commercial establishment – Numbers and user information Markets Shopping complexes, Offices	
		Slum information	
		 Location and Name of slums 	
		Number of Notified slums	
		Number of non notified slums Growth direction of the city (North/South/East/	
		West)	
3.b	Maps	Map depicting the existing land use - residential, commercial, Institutional, slums, green cover, open land etc.(available / not available)	
4	Climate and Soi	I Characteristics	
4.a	Climate (ref: Guidelines by IMD)	Annual Rainfall (mm) Temperature, (min/max)	
4.b	Soil Characteristics (ref: Geological Survey of India)	Type of Soil	
4.c	Ground water	Groundwater levels (metres)	
		Pre monsoon	
		Post monsoon	

² This information will be used for assessment of growth pattern / potential and related infrastructure demand





В	TECHNICAL IN	FROMATION: Information regarding Water	and	Sanitation	infrastructure
		eir current performance ³			
5	Water Supply (V	Vard-wise information to be made available)			
5.a	Access to Water	Source of City water supply Ground water Surface water 			
		 Tankers Source of household water supply Piped Supply Bore wells Stand posts 			
		Tankers Water Bodies Access to piped water supply connections			
		 (Numbers) Slum households Non slum households Institutions 			
		 Commercial establishments Coverage of piped water supply (%age) Population Area of the city Quantity of water Supply (MLD) for 			
		 Slum households Non slum households Institutions Commercial establishments 			
		Per capita water supply - Min, Avg, Max (lit/day) • Slum households			
		 Non slum households Duration of water supply (hrs/day) Slum households Non slum households 			
5.b	Operation and maintenance	 Water connection charges (Rs) – One time Slum households Non slum households Institutions Commercial establishments 			
		Water user charges (Rs) – Monthly Slum households Non slum households Institutions Commercial establishments Collection efficiency %age (billed and collected)			
		Complaint redressal system available If 'yes'			

³ This information will be used for assessment of demand and supply gaps in provision of sanitation related infrastructure and services





		Time taken to address the complaint
		Time taken to address the complaint
5.c	Projects	%age redressal Proposed per capita water supply and
5.0	contemplated	coverage after Implementation of scheme
	within the next	(%age)
	3 years to	(/odgc)
	improve water	
	supply	
5.d	Service Level	Percentage coverage and per capita water
	Benchmark -	supply (lpcd)
	Present	
5.e	Maps	Map depicting the existing water source and
	•	distribution network (available / not available)
6	Access to Toilet	t (Ward-wise information to be made available)
6.a	Individual Toilet	Number of Individual toilets
0.u		 Type of toilets (single pit, twin pit, dry,
		pour flush)
		• Functional status ⁴
		 Disposal arrangements (bahao,
		sewered, septic tank with soak away)
	Shared toilet	Number of households dependent
		Number of shared toilet
		Number of seats
		 Type of toilets (single pit, twin pit, dry,
		pour flush)
		Functional status
		Disposal arrangements (bahao,
		sewered, septic tank with soak away)
	Community	Number of households dependent
	toilet	Number of toilet blocks
		Number of seats per block
		Type of toilets (dry, pour flush)
		Location of toilet blocks
		Number of seats for men and women
		 Design consideration for men and
		women (privacy) – (yes / no)
		Functional status
		 Disposal arrangements (bahao,
		sewered, septic tank with soak away)
	Public toilet	Number of floating population
		dependent
		Number of toilet blocks
		Number of toilet seats per block
		 Type of toilets (dry, pour flush)
		Number of urinals
		Location of toilet blocks
		Number of seats for men and women
		 Design consideration for men and

⁴ Functional status refers to working condition - physical condition, availability of water and electricity supply, O&M etc





		women (privacy) – (yes / no)	
		 Functional status 	
		 Disposal arrangements (bahao, 	
		sewered, septic tank with soak away)	
	School	Number of students attending schools/	
	Sanitation	-	
	Samalion	colleges (boys, girls)	
		Number of toilet blocks	
		 Type of toilets (dry, pour flush) 	
		 Number of seats – (boys, girls) 	
		 Design consideration for boys and girls 	
		(privacy) – (yes / no)	
		Number of urinals	
		Functional status	
		 Disposal mechanism (bahao, sewered, 	
	0	septic tank with soak away)	
	Open	Location	
	defecation	 Number of households 	
		Reasons	
6.b	Operation and	User charges (Rs)	
	maintenance	 For community toilets 	
		For public toilets	
		 Willingness to pay 	
		If 'yes'	
		 how much are they willing to pay (Rs) 	
		Responsible agency for O&M	
		Community managed (NGO, CBO, CBO, CBO, CBO, CBO, CBO, CBO, CB	
		SHG, etc)	
		 Private operator managed 	
		 Municipality managed 	
		Present conditions (Good, Average, Poor)	
		 Shared toilets 	
		Community toilets	
		Public toilets	
		If not managed well reasons for the same	
		Facility provided by the Municipality for	
		community/ public toilets (yes / no)	
		Water	
		Electricity	
		 Desludging of septic tank 	
		 Major repairs 	
		Consumable	
		Manpower	
		If 'no' please provide reasons and cost	
		Complaint redressal system available	
		If 'yes'	
		Time taken to address the complaint	
		 %age redressal 	
6.c	Projects	Proposed number of seats and coverage after	
0.0	-		
	contemplated	Implementation of scheme (%age)	
	to improve		
	Toilet access		





• • •	<u> </u>		
6.d	Service Level Benchmark –	Access to toilet (%age coverage)	
	Present		
6.e	Maps	Map depicting the Location of shared, public	
		and community toilets (available / not	
		available)	
		Map depicting the location of open defecation	
		and urination (available / not available)	
7	Wastewater Tre	atment (Ward-wise information to be made availa	able) °
7.a	Sewage	Wastewater generation (MLD)	
	Generation	 Slum households 	
		 Non slum households 	
		Institutions	
		Commercial establishments	
7.b	Collection and	Wastewater discharged into open drains	
	Conveyance	(Numbers)	
		Slum households	
		 Non slum households 	
		Institutions	
		 Commercial establishments 	
		Shared toilets	
		 Community toilet blocks 	
		Public toilet blocks	
		 Reasons for discharging into open drain 	
		Wastewater conveyed into the septic tanks	
		and discharging into open drains (Numbers)	
		Slum households	
		 Non slum households 	
		Institutions	
		 Commercial establishments 	
		Shared toilets	
		 Community toilet blocks 	
		Public toilet blocks	
		 Reasons for discharging into open drain 	
		 Physical condition and functional status 	
		 Desludging frequency (Number of septic 	
		tank cleaned per year)	
		 Design capacity and conformance 	
		Wastewater conveyed into the septic tanks	
		and soak pits (Numbers)	
		Slum households	
		Non slum households	
		Institutions	
		Commercial establishments	
		Shared toilets	
		 Community toilet blocks 	
		Public toilet blocks	
		 Physical condition and functional status 	

⁵ This information and water supply data will be used for calculation of total wastewater and septage generated





- Desidudging frequency (Number of septic tank cleaned per year) - Design capacity and conformance Wastewater conveyed into the decentralised wastewater reatment system (Numbers) Slum households Institutions Commercial establishments Shared toliets Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Capacity of pump sumps Capacity of pump sumps Capacity of pump sumps Functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Sum households Sum households Non slum households Design capacity and present utilisation (under / over) Functional status Design capacity and present utilisation				
- Design capacity and conformance Wastewater conveyed into the decentralised wastewater treatment system (Numbers) • Slum households • Institutions • Commercial establishments • Shared toilets • Commercial establishments • Shared toilets • Commercial establishments • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Institutions • Commercial establishments • Shared toilets • Commercial establishm				
Wastewater conveyed into the decentralised wastewater treatment system (Numbers) Slum households Non slum households Institutions Commercial establishments Shared toilets Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), lf Pumping Number of pump sumps Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Shared toilets Community toilet blocks Public toilet blocks Institutions Community toilet blocks Shared toilets Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Pumping Number of pump sumps Community toilet blocks Public toilet blocks Stared topump sumps Capacity of pump sum				
viastewater treatment system (Numbers) • Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If • Number of pump sumps • Capacity of pump sumps • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Nons of pump sumps				
Slum households Non slum households Institutions Commercial establishments Shared toilets Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Pupper Conveyance (gravity, pumping), If Pumping Number of pump sumps Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Commercial establishments Shared toilets Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Pumping Number of pump sumps Capacity of pump sumps Capacity of pump sumps Capacity or pump sumps Stard toilets Number of pump sumps Stard toilets Pupping Number of pump sumps <			Wastewater conveyed into the decentralised	
* Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps • Capacity of pump sumps • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) Wastewater Wastewater conveyed into the sewerage system (Numbers) • Slum households • Institutions • Community toilet blocks • Public toilet blocks • Public toilet blocks • Dumping • Number of pump sumps • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps (MLD) • Functional status • Design capacity and present utilisation (under / over) • Design capacity and present utilisation (under / over) • Treatment (Septage, Wastewater) • Treatment technology and Capacity (MLD) <th></th> <th></th> <th>wastewater treatment system (Numbers)</th> <th></th>			wastewater treatment system (Numbers)	
* Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Number of pump sumps • Capacity of pump sumps • Functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Institutions • Community toilet blocks • Number of pump sumps • Stum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps • Design capacity and present utilisation (under / over) • Treatment (Septage, Wastewater) Septage treatment Are the s			Slum households	
* Commercial establishments * Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Commercial establishments • Stared toilets • Capacity of pump sumps • Capacity of pump sumps • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Number of pump sumps • Commercial establishments • Shared toilets • Commercial establishments • Shared toilets • Commercial establishments • Shared toilets • Capacity of pump sumps			Non slum households	
* Commercial establishments * Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Commercial establishments • Stared toilets • Capacity of pump sumps • Capacity of pump sumps • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Number of pump sumps • Commercial establishments • Shared toilets • Commercial establishments • Shared toilets • Commercial establishments • Shared toilets • Capacity of pump sumps			Institutions	
Shared toilets Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps Capacity of pump sumps Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Community toilet blocks Public toilet blocks Shared toilets Community toilet blocks Public toilet blocks				
 Community toilet blocks Public toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity and present utilisation (under / over) Treatment (Septage, Wastewater) Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps Capacity of pump sumps Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Community toilet blocks Public toilet blocks Public toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Electricity consumption Physical condition and functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
- Type of conveyance (gravity, pumping), If Pumping • • Number of pump sumps • Capacity of pump sumps • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • • Slum households • Non slum households • Number of pump sumps • Commercial establishments • Shared toilets • Community toilet blocks • Type of conveyance (gravity, pumping), If Pumping • • Number of pump sumps • Capacity of pump sumps • Capacity of and present utilisation (under / over) •				
Pumping • Number of pump sumps • Capacity of pump sumps • Capacity of pump sumps • Functional status • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Institutions • Commercial establishments • Community toilet blocks • Public toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity on pump sumps • Capacity on pump sumps • Capacity or pump sumps • Capacity or pump sumps • Capacity or pump sumps • Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment facility available – If 'yes' • Treatment (Septage, Wastewater) • Treatment technology and Capacity (MLD) • Current utilisation - under/over (MLD)				
* Number of pump sumps • Capacity of pump sumps • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) If yes' • Treatment technology and Capacity (MLD) • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Quantity of septage to be treated(MLD)				
Image: Second status Capacity of pump sumps Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) Slum households Institutions Commercial establishments Shared toilets Commercial establishments Shared toilets Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD)				
* Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Number of pump sumps • Capacity of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) * Treatment (MLD) • Quantity of septage to be treated(MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
* Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • • Slum households • Non slum households • Non slum households • Non slum households • Shared toilets • Commercial establishments • Shared toilets • Community toilet blocks • Type of conveyance (gravity, pumping), If Pumping • • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Design capacity and present utilisation (under / over) • Design capacity and present utilisation (under / over) • Design capacity and present utilisation (
7.c Treatment (Septage, Wastewater)				
- Design capacity and present utilisation (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Ornercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption • Physical condition and functional status • Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) * Treatment (Septage treatment Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)			Electricity consumption	
7.c Treatment (Septage, Wastewater) (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Non slum households • Non slum households • Non slum households • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status • Design capacity and present utilisation (under / over) • Treatment (MLD) • • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)			 Physical condition and functional status 	
7.c Treatment (Septage, Wastewater) (under / over) Wastewater conveyed into the sewerage system (Numbers) • Slum households • Non slum households • Non slum households • Non slum households • Non slum households • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status • Design capacity and present utilisation (under / over) • Treatment • Stype treatment • Treatment technology and Capacity (MLD) • Current utilisation - under/over (MLD)			 Design capacity and present utilisation 	
7.c Treatment (Septage, Wastewater) System (Numbers) • Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
7.c Treatment (Septage, Wastewater) System (Numbers) • Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
* Slum households • Non slum households • Institutions • Commercial establishments • Shared toilets • Community toilet blocks • Public toilet blocks • Type of conveyance (gravity, pumping), If Pumping • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) If 'yes' • Treatment technology and Capacity (MLD) • Current utilisation - under/over (MLD) • Current utilisation - under/over (MLD)				
Image: Second				
Image: Second State Sta				
Image: Second state of the second s				
 Shared toilets Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) Current utilisation - under/over (MLD)				
 Community toilet blocks Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Treatment Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Public toilet blocks Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Type of conveyance (gravity, pumping), If Pumping Number of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
Pumping • Number of pump sumps • Capacity of pump sumps (MLD) • Functional status • Electricity consumption - Physical condition and functional status - Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Vastewater) If 'yes' • Treatment technology and Capacity (MLD) • Current utilisation - under/over (MLD)				
 Number of pump sumps Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Capacity of pump sumps (MLD) Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) Current utilisation - under/over (MLD) 				
 Functional status Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 			Number of pump sumps	
 Electricity consumption Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 			 Capacity of pump sumps (MLD) 	
 Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 			Functional status	
 Physical condition and functional status Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Septage treatment facility available – If 'yes' Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 			Electricity consumption	
- Design capacity and present utilisation (under / over) 7.c Treatment (Septage, Wastewater) Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)			,	
7.c Treatment (Septage, Wastewater) Septage treatment Are the septage treatment facility available – If 'yes' If 'yes' • Treatment technology and Capacity (MLD) • • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
(Septage, Wastewater) Are the septage treatment facility available – If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)	7.c	Treatment		
Wastewater) If 'yes' • Treatment technology and Capacity (MLD) • Quantity of septage to be treated(MLD) • Current utilisation - under/over (MLD)				
 Treatment technology and Capacity (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 (MLD) Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Quantity of septage to be treated(MLD) Current utilisation - under/over (MLD) 				
 Current utilisation - under/over (MLD) 				
Functional status				
Treatment level (secondary, tertiary)				
and conformance as per MoUD				
advisory on septage management (yes				
/ no)			/ no)	





		If 'no'	
		 Reasons Disposal method and Quantity 	
		disposed per day (MLD)	
		Location of disposal	
		Wastewater treatment – Centralised	
		Are the Centralised wastewater treatment	
		facility available	
		If 'yes'	
		Treatment technology and Capacity (MLD)	
		Current utilisation – under / over (MLD)	
		Quantity of wastewater treated (MLD)	
		Functional status	
		Treatment level (secondary, tertiary)	
		and conformance to the statutory	
		 standards (yes / no) Reuse (treated wastewater, sludge, 	
		biogas) Information	
		If 'no'	
		Reasons	
		Disposal method and Quantity	
		disposed per day (MLD)	
		Location of disposal	
		Wastewater Treatment – Decentralised	
		Are the Decentralised Wastewater Treatment	
		Facility available If 'yes'	
		Treatment technology and Capacity	
		(MLD)	
		Current utilisation – under / over (MLD)	
		Quantity of wastewater treated (MLD)	
		Functional status	
		Treatment level (secondary, tertiary)	
		and Conformance to the statutory	
		standards (yes / no)	
		 Reuse (treated wastewater, sludge, biogas) Information 	
7.d	Operation and	For existing septage collection, conveyance	
	Maintenance	and treatment facility	
		Responsible agency	
		Method of desludging and Conveyance	
		(Manual collection, Suction wagons)	
		User charges for desludging,	
		conveyance and disposal per	
		 household (Rs) O&M cost for the treatment facility (Rs) 	
		 Safety for sanitary staff (yes / no) 	
		For existing wastewater collection,	
		conveyance and treatment facility (centralised	
		and decentralised systems)	





		 Household sewer connection charges - One time (Rs.) 	
		 Household sanitation cess – Monthly (Rs) 	
		Willingness to pay (yes / no)	
		Responsible agency	
		O&M cost for the conveyance and	
		treatment facility (Rs)	
		Cost recovery (%age)	
		Complaint redressal system available	
		If 'yes'	
		 Time taken to address the complaint 	
		%age redressal	
7.e	Projects	Proposed coverage with UGD, with on site	
	contemplated	and decentralised facility	
	to improve the		
	Sewerage System		
7.f	Service Level	Collection and treatment efficiency	
/	Benchmark -	(wastewater and septage) (%age)	
	Present	(
7.g	Maps	Map depicting the coverage of existing sewer	
-		network coverage, onsite system and area do	
		not have any system (available / not available)	
8	Solid Waste Ma	nagement (Ward-wise information to be made available)	ilable)
8.a	Solid waste	Total waste generated (MT/day)	
	Generation	Slum households	
		Non slum households	
		Institutions	
		Commercial establishments	
		 Physical Analysis report (yes / no) 	
		(Physical characteristics of waste)	
8.b	Primary	Are there household (including urban poor	
	Collection	settlements) Door to Door collection system	
		available	
		 If 'yes' Number of households covered 	
		 Quantity of waste collected (MT/day) Segregation at source (yes / no) 	
		 Existing manpower (numbers) 	
		 Equipment used and numbers 	
		 Waste collection frequency 	
		Waste collection nequency Waste collection charges and	
		willingness to pay (Rs)	
		If 'no'	
		Method of disposal	
		Quantity of waste disposed (MT/day)	
		Location of disposal	
		Are there Door to Door collection system	
		available at different Institutions	
		If 'yes'	
	1		





	-		
		Number of Institutions	
		Quantity of waste collected (MT/day)	
		Segregation at source (yes / no)	
		Existing manpower (numbers)	
		Equipment used and numbers	
		Waste collection frequency	
		 Waste collection charges and 	
		willingness to pay (Rs)	
		lf 'no'	
		Method of disposal	
		Quantity of waste disposed (MT/day)	
		Location of disposal	
		Are there Door to Door collection system	
		available for Commercial establishments	
		If 'yes'	
		 Number of commercial establishment 	
		 Quantity of waste collected (MT/day) 	
		Segregation at source (yes / no)	
		Existing manpower (numbers)	
		Equipment used and numbers	
		Waste collection frequency	
		Waste collection charges and	
		willingness to pay (Rs)	
		If 'no'	
		Method of disposal	
		Quantity of waste disposed (MT/day)	
		Location of disposal	
		Unserved areas	
		Reasons	
		Number of households not covered	
		Percentage area not covered	
		Street sweeping	
		Total road length (kms)	
		 Length of road swept per day (kms) 	
		Frequency	
		Method and Location of disposal	
8.c	Secondary		
0.0			
	Collection	secondary collection	
		If 'yes'	
		Number of bins	
		Locations of bins	
		Capacity of bins (MT)	
		Collection frequency	
		System of collection (type and number	
		of vehicle used)	
		 Number of Transfer stations, its 	
		locations and capacity to handle	
		If 'no'	
		Reasons	
		Disposal arrangements	
		Location of disposal	





		Location of burning	
8.d	Conveyance to Treatment facility(Transpo rtation)	 Transport facility Number and Type of vehicles deployed Capacity of vehicles (MT) Travel distance (kms) 	
8.e	Treatment	Are the solid waste treatment facility available If 'yes' Treatment technology and Capacity (MT) Current utilisation (MT) Quantity of waste treated (MT) Functional status If 'no' Quantity disposed (MT/day) Disposal method Location of disposal	
8.f	Disposal	 Are there scientific landfill facility available If 'yes' Location Land area allocated (Hectares) Quantity of Waste disposed at the facility (MT/day) Distance from the city (kms) Operator of facility If 'no' Location of disposal or open dump Land area available (Hectares) Quantity disposed (MT/day) Distance from the city (kms) Operator of facility 	
8.g	Operation and Maintenance	For existing facility of collection and conveyance • Responsible agency • User charges for household collection (Rs) and willingness to pay (yes / no) • O&M cost transportation (Rs) • Safety for operating staff (yes / no) For existing treatment and disposal facility • Responsible agency • O&M cost (Rs) • Safety for operating staff (yes/no) • Cost recovery (%age) Complaint redressal system available If 'yes' • Time taken to address the complaint • %age redressal	
8.h	Projects contemplated to improve the Solid waste management	Proposed collection quantity/day, treatment capacity/day and disposal quantity/day	





	system		
8.i	Service Level Benchmark - Present	Collection, treatment and safe disposal efficiency as per SLB	
8.j	Maps	Map with wards depicting the door to door collection, unserved areas, community bins and transfer station and also indicate areas of open dumping, burning of solids (available / not available)	
9	Storm Water Ma	anagement	
9.a	Collection and Conveyance	Constructed Drain Length of road (kms) Length of drain (kms) Percentage coverage Functional status Natural Drain Length of the road (kms) Length of drain (kms) Length of drain (kms) Percentage coverage Functional status Are there Storm water pumping station available If 'yes' Numbers Capacity Electricity consumption Electricity cost (Rs) 	
9.b	Disposal	Water logging or Flooding Reasons Locations Frequency Disposal arrangements	
•		 Connected to retention zone (yes / no) Discharged into the river / water bodies (yes / no) 	
9.c	Operation and Maintenance	For existing facility of Collection, conveyance and disposal of storm water • Responsible agency • O&M cost (Rs) Complaint redressal system available If 'yes' • Time taken to address the complaint • %age redressal	
9.d	Projects contemplated to improve the Storm water management system	Proposed coverage of storm water drainage	
9.e	Service Level Benchmark -	Percentage of coverage	





	Present		
9.f	Maps	Maps depicting the constructed and natural drain network (available / not available) Map depicting the location of flooding and water logging areas (available / not available)	
10	Receiving Wate	r Bodies Management	
10.a	Water bodies	Number of water bodies	
		Catchment area	
		Quality status (according to CPCB standards) for various uses	
		Discharge of untreated wastewater into Lakes, River, Ponds Locations Approximate quantity (MLD) 	
10.b	Projects contemplated to improve the Quality of water bodies	Improving (rehabilitation or augmentation) the existing water bodies	
10.c	Maps	Map depicting the water bodies in the city and location of wastewater and solid waste disposed (available / not available)	





С		AND GOVERNANCE: Information regarding and responsibilities for urban infrastructure se	legislative
11	Institutional fram	ework	
11.a	Legislative Framework	Legislative framework for municipal functions - Municipal act, Service rules, Building bye laws, Municipal Bye Laws (available / not available) Degree of implementation of 74 th Amendment; Timelines for transfer of sanitation functions to the ULB (available / not available) Delegation of funds, Functions and functionaries to the zonal level (available / not available) Sanitation supporting bye laws and its enforcement (available / not available) State Sanitation Strategy (available / not	
11.b	Institutional Arrangement	available)Organisation structure of ULB - Department wise staff in-position and Sanctioned posts for each category (available / not available)Department wise Roles and Responsibilities pertaining to sanitation (available / not available)Information Parastatal agencies, Role, Institutional strength (available / not available)Stakeholders for sanitation and their role – ULB, CTF, Pollution Control board, PHED, NGO (available / not available)Institution responsible for planning and implementation - Water supply, SWM, WWM, Public sanitation, Storm water drainage, Water bodies, Septage management (available / not available)Institution responsible for O&M - Water supply, SWM, WWM, Public sanitation, Storm water drainage, Water bodies, Septage management (available)Institution responsible for M&E - Water supply, SWM, WWM, Public sanitation, Storm water drainage, Water bodies, Septage management (available)Institution responsible for M&E - Water supply, SWM, WWM, Public sanitation, Storm water drainage, Water bodies, Septage management (available)	
11.c	Governance and Reforms - Measures to improve transparency, Enhance efficiency and	Inter Institutional coordination mechanism, Reporting (available/not available) Implementation of Community Participation Law and Public Disclosure Law (available / not available) Citizen grievance redressal - Time to respond, Responsibility, Follow-up mechanism (available / not available) Projects undertaken on PPP – Contractual	

 $^{^{\}rm 6}$ This information is used for assessment of gaps in institutional and governance framework





ensure financial sustainability	arrangement for the services, Responsibility for monitoring of the outsourced work (available / not available)	
	Implementation of e-governance in ULBs (available / not available)	

Municipal Finance Revenue	•	
Receipts	Municipal Budget (last 5 years) (available / not available) Revenue break ups - Through water charges, Property charges, Sewerage connection charges (available / not available) Existing Efficiency in collection of User	
	Solid waste Management (available / not available) Existing Cost recovery efficiency for - Water Supply, Sewerage and Solid Waste	
Grants and Loans	Details of grants or loans for sanitation services - State, Central Govt., Local (available / not available) Details of externally aided projects - WB, ADB,	
	(available / not available) Funds availed under 13th Finance Commission (available / not available)	
	available) Physical and Financial reports of sanitation and	
	Existing Assets of Municipality (available / not	
Expenditure, Financial implication	Citywide access to Sanitation, SWM – Capital and O&M expenditures (available / not available)	
	supply, Sanitation, SWM – Capital and O&M (available / not available)	
Financial sustainability measures	Existing Financial reforms, Transparency and Monitoring mechanism (available / not available)	
	Participatory Budget Allocation (available / not available)	
	Expenditure, Financial implication Financial sustainability	Propertycharges, Sewerageconnection charges (available / not available)ExistingEfficiencyincollectionofUser Charges forChargesforWateSupply, Sewerageand SolidwasteManagement (available / not available)ExistingCostrecoveryefficiency for -Water Supply, Sewerageand SolidWaste Management (available / not available)Grants and LoansDetailsof grantsorloans services -State, Central Govt., Local (available / not available)Detailsof grantsor tavailable)loans services -State, Central Govt., Local (available / not available)Detailsof grantsor tavailable)loans services -State, Central Govt., Local (available / not available)Fundsavailed under 13thnot available)loans services -NB, ADB, otherFundsavailable / not available / not available)Borrowing Capacity of ULB (available / not available)Expenditure, Financial implicationCitywide access to sanitation, SWM - Capital and O&M expenditures (available / not available)Financial sustainability measuresCitywide access to sanitation, SWM - Capital and O&M (available)Financial sustainability measuresExisting Financial reforms, Transparency and Monitoring mechanism (available / not available)Frinacial sustainability measuresExisting Financial reforms, Transparency and Monitoring mechanism (available / not available) </td

⁷ This information is used for assessment of financial status of the ULB, its capabilities for sanitation infrastructure investments (Capital, O&M)





	(available / not available)		
--	-----------------------------	--	--

E	CAPACITY ENHANCEMENT: Information regarding the current capacities of the ULB and				
13	on-going initiatives for capacity enhancement ⁸ Capacity Management				
13	Capacity Manage	Capacity Management			
13.a	Human Resource Development	Department dealing with Water supply, Sewerage, Sanitation, SWM, Storm water, Water body (available / not available)			
		Training and Capacity enhancement strategy (available / not available)			
		Staff strength, Qualification of staff (available / not available)			
		Performance Evaluation of staff (available / not available)			
13.b	Capacity Management	Outsourcing of staff and services (available / not available)			
		Synergies with other stakeholder (available / not available)			
13.c	Awareness Strategy	Strategy and its Implementation (available / not available)			
13.d	Knowledge Management	Existing Knowledge Management Platforms (available / not available)			
		Case studies and Best Practices (available / not available)			

F 14		HYGIENE RELATED: Information regardin s related to sanitation and current health and hy ne practice	-	health
14.a	Vulnerability to water borne diseases	Diseases prevailing- 5 years data (at-least) - Ward wise; Previous epidemic details (available / not available) Health and hygiene in low income groups -		
		Awareness level (Reports if any) (available / not available)		
14.b	Role of NGO's/CBO's	Existing SHGs, NGOs and their current role (available / not available) Ongoing campaigns on Health & Hygiene (available / not available)		

⁸ This information will be used for identification of knowledge / skills gaps for efficient service delivery